

KRGXX8X

«GRID» 19-Inch Network Cabinet



Roof ventilation



3 point lock



Hinge with 180° opening



Ergonomic handle with cylinder cover



3 point lock



- ✓ High density
- ✓ 180° front & rear door opening
- ✓ Sliding cable entry
- ✓ Cable management & vertical organizer
- ✓ Sliding lock and O'Lock system for panels

THE PURPOSE

The “GRID” cabinet from Unikkern is designed to combine the advantages of both server racks and cabling racks. Optimizing the management of active equipment provides efficient ventilation, advanced cable organization, and a high load capacity of 850 kg.

Its compatibility with all standard 19-inch accessories facilitates the integration of widely used equipment. The double perforated front doors ensure optimal airflow, maintaining an ideal temperature for sensitive components.

Rear and side panels offer easy access for installation and maintenance. The newly integrated vertical organizer and sliding cable entry provide tidy and flexible cable management, reducing clutter and improving the aesthetics of the setup.

Moreover, the robust construction of the cabinet supports heavy loads, ensuring the security and stability of critical equipment. Finally, its versatile design allows it to adapt to various IP environments, offering adequate IP20 protection against dust and water ingress, and thus meeting the specific requirements of various use cases.


We offer the option to configure the cabinet with glass and/or perforated front/rear doors, depending on your needs.



KRGXX8X

«GRID» 19-Inch Network Cabinet

THE STRUCTURE



Baie fermée



Baie ouverte

Maximum load capacity : 850 KG

Matériau : Steel

Surface finish : Powder coating

Color: Black Ral 9005

Material thickness : 1.2 mm steel

Rack Units (RU) : 32U/42U/47U

Modular spacing : 19 inches

IP rating (IP) : IP20


Ventilation rate : 80%



KRGXX8X

«GRID» 19-Inch Network Cabinet

THE STRUCTURE



Baie fermée



Baie ouverte

Maximum load capacity : 850 KG

Matériau : Steel

Surface finish : Powder coating

Color: Black Ral 9005

Material thickness : 1.2 mm steel

Rack Units (RU) : 32U/42U/47U

Modular spacing : 19 inches

IP rating (IP) : IP20


Ventilation rate : 80%



KRGXX8X

«GRID» 19-Inch Network Cabinet


THE STRUCTURE



KRGXX8X

«GRID» 19-Inch Network Cabinet

THE STRUCTURE



KRGXX8X

«GRID» 19-Inch Network Cabinet



PURCHASE INFO

Item	Units	Dimensions (mm)	Designation	Packaging
KRG3288DGR	32U	800x800	GRID 19" network cabinet, double front glass door	1 Pc
KRG4288DGR	42U	800x800	GRID 19" network cabinet, double front glass door	1 Pc
KRG4788DGR	47U	800x800	GRID 19" network cabinet, double front glass door	1 Pc
KRG42810DGR	42U	800x1000	GRID 19" network cabinet, double front glass door	1 Pc
KRG42812DGR	42U	800x1200	GRID 19" network cabinet, double front glass door	1 Pc
KRG47812DGR	47U	800x1200	GRID 19" network cabinet, double front glass door	1 Pc

